



Van Trier B.V.
Lorentzweg 2
4691 SR Tholen
Nederland

Telefoon: (+31) 166 600 100
WhatsApp: (+31) 166 600 100
Email: info@vantrier.nl

VAN TRIER

Van Trier 420-80 Flat conveyor

€0



Description

Discover the flexibility of our advanced Van Trier 420-80 Flat conveyor, engineered to meet diverse material handling needs. Featuring a length of 4,2m and a width of 80cm, these mobile conveyor belts are indispensable for traversing distances or extending conveyor lines as required. From sorting tasks to separating unwanted items in agricultural or recycling processes, our Van Trier 420-80 Flat conveyor offers efficiency and precision for your operations.

Specifications

Make	Van Trier
Condition	Used
Type of belt	Smooth
Plug	32A-5P
Height adjustment input	Hydraulic with handpump
Height adjustment output	Hydraulic with handpump

Features

- ✔ Van Der Graaf drum motor
- ✔ Start-stop control
- ✔ Scraper at the end
- ✔ Variable belt speed



Van Trier B.V.
Lorentzweg 2
4691 SR Tholen
Nederland

Telefoon: (+31) 166 600 100
WhatsApp: (+31) 166 600 100
Email: info@vantrier.nl

Dimensional drawing

To view the dimensional drawing of this machine, please use your mobile phone to scan the QR code or manually browse to <https://cdn.vantrier.com/raw/420-80-vantrier-attachment-5CLvTa.pdf?version=2>.

